## NSN 4730-00-335-9315

Fluid Passage Bolt - Page 1 of 2

Between 0.895 inches and 0.945 inches

Between 0.091 inches and 0.098 inches

Between 1.240 inches and 1.282 inches

**Body Style:** Relieved

**Overall Length:** 

Flared

**Concentric Hole Depth:** 

**Concentric Hole Diameter:** 

**First End Connection Type:** 

First End Style Designator:

**First End Thread Direction:** 

First End Thread Class:

Threaded external tube



View Online at https://aerobasegroup.com/nsn/4730-00-335-9315

Right-hand
Width Across Flats:
0.562 inches
First End Thread Length:
0.500 inches
Wrenching Feature Style:
Hexagon
First Diameter From Wrenching Feature:
Between 0.371 inches and 0.374 inches
Second Diameter From Wrenching Feature:
Between 0.305 inches and 0.315 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
Between 0.158 inches and 0.178 inches
Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:
Between 0.281 inches and 0.381 inches
First Radial Fluid Hole Diameter:
Between 0.091 inches and 0.098 inches
Distance From First Radial Hole Center To End Of Bolt:
0.845 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:
Between 1.045 inches and 1.085 inches
Wrenching Feature Height:
Between 0.177 inches and 0.203 inches
Hardness Rating:
Between 26.0 rockwell c and 32.0 rockwell c
First End Thread Series Designator:
Unf

## NSN 4730-00-335-9315

Fluid Passage Bolt - Page 2 of 2



First End Seat Angle:
30.0 degrees
First End Thread Size:
0.375 inches
Material:
Steel comp 8740
Material Specification:
Qq-s-624 federal specification single material response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A121a0