

View Online at <https://aerobasegroup.com/nsn/4730-00-342-7808>

**Body Style:**

Relieved

**Concentric Hole Depth:**

Any acceptable

**Concentric Hole Diameter:**

Between 0.084 inches and 0.104 inches

**Overall Length:**

0.948 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Plain

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Width Across Flats:**

Between 0.618 inches and 0.627 inches

**First End Thread Length:**

Between 0.570 inches and 0.590 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

0.313 inches

**Second Diameter From Wrenching Feature:**

Any acceptable

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

0.072 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:**

0.162 inches

**First Radial Fluid Hole Diameter:**

Between 0.052 inches and 0.062 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.630 inches and 0.650 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

0.742 inches

**Wrenching Feature Height:**

Between 0.186 inches and 0.226 inches

**Hardness Rating:**

Between 26.0 rockwell c and 32.0 rockwell c

**First End Thread Series Designator:**

Unf

**First End Thread Size:**

0.312 inches

**Material:**

Steel

**Material Specification:**

Ams 7452 assn standard single material response

**Specification Data:**

00198-225636 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A121a0