

View Online at <https://aerobasegroup.com/nsn/4730-00-358-6416>

**Body Style:**

Relieved

**Concentric Hole Depth:**

Between 0.880 inches and 0.900 inches

**Concentric Hole Diameter:**

Between 0.189 inches and 0.199 inches

**Overall Length:**

Between 1.410 inches and 1.450 inches

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Width Across Flats:**

Between 0.865 inches and 0.877 inches

**First End Thread Length:**

Between 0.336 inches and 0.356 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.479 inches and 0.483 inches

**Second Diameter From Wrenching Feature:**

Between 0.340 inches and 0.360 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.730 inches and 0.750 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:**

Between 0.814 inches and 0.854 inches

**First Radial Fluid Hole Diameter:**

Between 0.135 inches and 0.145 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.810 inches and 0.830 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 1.170 inches and 1.190 inches

**Wrenching Feature Height:**

Between 0.240 inches and 0.260 inches

**First End Thread Qty Per Inch (tpi):**

20

**First End Thread Series Designator:**

Unjf

**First End Thread Size:**

0.437 inches

**Material:**

Steel

**Material Specification:**

Ams 5735 assn standard single material response

**Surface Treatment:**

Passivate

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0