

View Online at <https://aerobasegroup.com/nsn/4730-00-370-5641>

Body Style:

Shoulder

Head Diameter:

0.875 inches

Concentric Hole Depth:

2.109 inches

Concentric Hole Diameter:

Between 0.211 inches and 0.217 inches

Overall Length:

2.949 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

2a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal tube

Second End Style Designator:

Double compression

Second End Thread Class:

2b

Second End Thread Direction:

Right-hand

First End Thread Length:

0.469 inches

Second End Thread Length:

0.312 inches

Wrenching Feature Style:

Round

First Diameter From Wrenching Feature:

0.561 inches

Second Diameter From Wrenching Feature:

Between 0.358 inches and 0.368 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

2.168 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

2.268 inches

First Radial Fluid Hole Diameter:

0.094 inches

Distance From First Radial Hole Center To End Of Bolt:

0.887 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

2.637 inches

Wrenching Feature Height:

0.312 inches

Min. Tensile Strength (psi):

126000 pounds per square inch

First End Thread Series Designator:

Unf

First End Thread Size:

0.438 inches

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Unf

Material:

Steel

Material Specification:

Mil-s-6758 military specification single material response

Surface Treatment:

Cadmium

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-s-6758 spec.