## NSN 4730-00-406-6756

Pipe To Tube Straight Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-406-6756 **Thread Class:** 2a 1st end **Maximum Operating Temp:** 121.0 degrees fahrenheit single response **Connection Style:** Plain (pipe) 2nd end **Connection Type:** Threaded internal pipe 2nd end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.875 inches 1st end Seat Angle: 12.0 degrees 1st end **Outside Diameter Tube Accommodated:** 0.625 inches 1st end Nominallength: 1.766 inches Material: Steel **Material Specification:** Qq-s-637 federal specification single material response Media For Which Designed: Hydraulic fluid single response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-c-16232, type m, cl 1 military specification single treatment response **Thread Series Designator:** Unf 1st end **Furnished Items And Quantity:** 1 ferrule sleeve and 1 short coupling nut **Specification Data:** 96906-ms51816 government standard and 81343-j514 professional/industrial association standard **Specification Or Standard:** 19d figure Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 4730-00-406-6756

Pipe To Tube Straight Adapter - Page 2 of 2



Fiig:

A080b0

Mil-std (military Standard):

Mil-c-16232 spec.