NSN 4730-00-419-5836

Tube Nipple - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-419-5836

Thread Class: 2a all ends **Maximum Operating Temp:** 250.0 degrees fahrenheit 1st response **Connection Style:** Flareless (tube) all ends **Connection Type:** Threaded external tube all ends Thready Qty Per Inch (tpi): 12 all ends **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 1.312 inches all ends Seat Angle: 12.0 degrees all ends **Outside Diameter Tube Accommodated:** 1.000 inches all ends Nominallength: 1.812 inches Material: Steel nut **Material Specification:** 66, aisi 316/sae 30316 federal standard single material response sleeve Media For Which Designed: Hydraulic fluid single response **Surface Treatment:** Passivate sleeve **Surface Treatment Specification:** Qq-p-35, type 2 federal specification single treatment response sleeve **Style Designator:** Flareless w/ center wrenching facility **Thread Series Designator:** Un all ends **Furnished Items And Quantity:** 2 short coupling nut with sleeve **Specification Data:** 81343-j514 professional/industrial association standard and 96906-ms51814 government standard **Specification Or Standard:**

19b figure

Shelf Life:

N/a

NSN 4730-00-419-5836

Tube Nipple - Page 2 of 2



| Unit Of Mea | sure: |
|-------------|-------|
|-------------|-------|

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-f-18866 spec.