

View Online at <https://aerobasegroup.com/nsn/4730-00-469-4982>

**Body Style:**

Body wrenching

**Concentric Hole Diameter:**

Between 0.287 inches and 0.307 inches

**Overall Length:**

2.031 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Plain

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Second End Connection Type:**

Threaded external tube

**Second End Thread Class:**

3a

**Second End Thread Direction:**

Right-hand

**Width Across Flats:**

Between 0.797 inches and 0.829 inches

**First End Thread Length:**

Between 0.360 inches and 0.390 inches

**Second End Thread Length:**

0.469 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.559 inches and 0.560 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.963 inches and 0.973 inches

**First Radial Fluid Hole Diameter:**

Between 0.240 inches and 0.260 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.844 inches and 0.864 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 1.333 inches and 1.353 inches

**Wrenching Feature Height:**

Between 0.199 inches and 0.239 inches

**First End Thread Series Designator:**

Unf

**First End Thread Size:**

0.562 inches

**Second End Seat Angle:**

12.0 degrees

**Second End Thread Size:**

0.562 inches

**Second End Thread Series Designator:**

Unf

**Material:**

Aluminum alloy

**Material Specification:**

Qq-a-225/4, t6 federal specification single material response or qq-a-225/6, t6 federal specification single material response

**Surface Treatment:**

Anodize

**Specification Data:**

80205-nas1236 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0