

View Online at <https://aerobasegroup.com/nsn/4730-00-474-3095>

Body Style:

Relieved

Concentric Hole Diameter:

0.500 inches

Overall Length:

6.375 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal pipe

Second End Style Designator:

Plain

Second End Thread Direction:

Right-hand

Width Across Flats:

0.938 inches

First End Thread Length:

0.562 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

0.687 inches

Second Diameter From Wrenching Feature:

0.562 inches

Third Diameter From Wrenching Feature:

Between 0.619 inches and 0.621 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

1.343 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

4.905 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

5.561 inches

First Radial Fluid Hole Diameter:

0.375 inches

Second Radial Fluid Hole Diameter:

0.312 inches

Distance From First Radial Hole Center To End Of Bolt:

4.983 inches

Distance From Second Radial Hole Center To End Of Bolt:

0.750 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

6.125 inches

Wrenching Feature Height:

0.549 inches

Hardness Rating:

Between 34.0 rockwell c and 38.0 rockwell c

First End Thread Series Designator:

Unf

First End Thread Size:

0.625 inches

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Anpt

Material:

Steel

Material Specification:

81343-ams 6322 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

81343-ams 2400 assn standard single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0