

View Online at <https://aerobasegroup.com/nsn/4730-00-483-4938>

**Thread Class:**

3a all ends

**Maximum Operating Temp:**

135.0 degrees celsius 2nd response

**End Application:**

16n aircraft, viking s-3a

**Connection Style:**

Flareless (tube) all ends

**Leg Length:**

2.250 inches 1st end

**Connection Type:**

Threaded external tube all ends

**Maximum Operating Pressure:**

3000.0 pounds per square inch single response

**Thread Size:**

0.875 inches all ends

**Seat Angle:**

12.0 degrees all ends

**Flow Angle:**

90.0 degrees

**Outside Diameter Tube Accommodated:**

0.625 inches all ends

**Material:**

Aluminum alloy 7075

**Material Specification:**

Qq-a-367, t73 federal specification single material response

**Media For Which Designed:**

Aeronautical fluid single response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, ty2, cl 2 military specification single treatment response outside

**Thread Series Designator:**

Unjf 1st end bulkhead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A080b0

**Mil-std (military Standard):**

Mil-a-8625 spec.