

View Online at <https://aerobasegroup.com/nsn/4730-00-491-7926>

Body Style:

Plain

Head Diameter:

Between 0.396 inches and 0.416 inches

Distance From Centerline To Flat:

Between 0.153 inches and 0.156 inches

Concentric Hole Depth:

Between 1.130 inches and 1.190 inches

Concentric Hole Diameter:

Between 0.115 inches and 0.135 inches

Overall Length:

Between 1.350 inches and 1.410 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

2a

First End Thread Direction:

Right-hand

First End Thread Length:

Between 0.320 inches and 0.380 inches

Wrenching Feature Style:

Round with wrench flats

First Diameter From Wrenching Feature:

Between 0.310 inches and 0.311 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 0.958 inches and 0.978 inches

First Radial Fluid Hole Diameter:

Between 0.115 inches and 0.135 inches

Distance From First Radial Hole Center To End Of Bolt:

Between 1.110 inches and 1.150 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.318 inches

Wrenching Feature Height:

Between 0.052 inches and 0.072 inches

First End Thread Series Designator:

Unf

First End Thread Size:

0.250 inches

Material:

Steel comp 303se

Material Specification:

Qq-s-764 federal specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Fscm 82577-h+4-169 mfr ref single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0