

View Online at <https://aerobasegroup.com/nsn/4730-00-506-9758>

Body Style:

Plain

Concentric Hole Depth:

2.012 inches

Concentric Hole Diameter:

Between 0.203 inches and 0.213 inches

Overall Length:

4.002 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.141 inches

End Application:

Mvf joint stars program

Width Across Flats:

0.938 inches

First End Thread Length:

0.500 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.190 inches

First Diameter From Wrenching Feature:

0.624 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

3.190 inches

First Radial Fluid Hole Diameter:

0.086 inches

Second Radial Fluid Hole Diameter:

0.086 inches

Distance From First Radial Hole Center To End Of Bolt:

3.500 inches

Distance From Second Radial Hole Center To End Of Bolt:

2.020 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

3.690 inches

Wrenching Feature Height:

0.312 inches

Min. Tensile Strength (psi):

180000 pounds per square inch

First End Thread Series Designator:

Unf

First End Thread Size:

0.625 inches

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 1, class 3 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0