## NSN 4730-00-511-7988

Pipe To Tube Straight Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-511-7988 **Thread Class:** 2a 1st end **Maximum Operating Temp:** 250.0 degrees fahrenheit single response **End Application:** Fbn spruance class dd (963). **Connection Style:** Plain (pipe) 2nd end **Connection Type:** Threaded external tube 1st end **Maximum Operating Pressure:** 3000.0 pounds per square inch single response **Thread Size:** 0.750 inches 1st end Seat Angle: 37.0 degrees 1st end **Outside Diameter Tube Accommodated:** 0.500 inches 1st end Nominallength: 1.790 inches Material: Steel comp 316 **Material Specification:** 66, 300 series federal standard single material response Media For Which Designed: Hydraulic fluid 2nd response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35, type 1 or 2 federal specification single treatment response **Thread Series Designator:** Unf 1st end **Furnished Items And Quantity:** 1 tube coupling nut w/sleeve **Specification Data:** 96906-ms51500 government standard Shelf Life: N/a **Unit Of Measure:** 

--- Demilitarization:

## NSN 4730-00-511-7988

Pipe To Tube Straight Adapter - Page 2 of 2



Fiig:

A080b0

Mil-std (military Standard):

Mil-f-18866 spec.