

View Online at <https://aerobasegroup.com/nsn/4730-00-522-4187>

Concentric Hole Depth:

6.500 inches

Concentric Hole Diameter:

0.344 inches

Overall Length:

7.812 inches

First End Thread Class:

2a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal pipe

Second End Style Designator:

Plain

Cotter Pin Hole Diameter:

0.140 inches

Width Across Flats:

Between 1.740 inches and 1.750 inches

First End Thread Length:

0.969 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.156 inches

First Diameter From Wrenching Feature:

Between 1.374 inches and 1.375 inches

Second Diameter From Wrenching Feature:

1.000 inches

Third Diameter From Wrenching Feature:

0.910 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

6.156 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

6.250 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

6.344 inches

First Radial Fluid Hole Diameter:

0.188 inches

Second Radial Fluid Hole Diameter:

0.188 inches

Distance From First Radial Hole Center To End Of Bolt:

6.875 inches

Distance From Second Radial Hole Center To End Of Bolt:

5.875 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

7.312 inches

Wrenching Feature Height:

0.500 inches

First End Thready Qty Per Inch (tpi):

14

First End Thread Series Designator:

Uns

First End Thread Size:

1.000 inches

Second End Thread Series Designator:

Npt

Special Features:

0.188 in. Nom. Third radial fluidhole dia. 2.625 in. Nom. Distance from third radial hole center to end of bolt; 1.625 in. Nom. Distance from fourth radial hole center to end of bolt

Material:

Steel

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0