

View Online at <https://aerobasegroup.com/nsn/4730-00-559-1604>

Body Style:

Plain

Concentric Hole Depth:

1.015 inches

Concentric Hole Diameter:

0.113 inches

Overall Length:

2.141 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal pipe

Second End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.106 inches

End Application:

F52 aircraft

Width Across Flats:

0.625 inches

First End Thread Length:

0.391 inches

Second End Thread Length:

0.962 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.120 inches

First Diameter From Wrenching Feature:

0.374 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

1.562 inches

First Radial Fluid Hole Diameter:

0.052 inches

Distance From First Radial Hole Center To End Of Bolt:

1.179 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.953 inches

Wrenching Feature Height:

0.172 inches

First End Thread Series Designator:

Unf

First End Thread Size:

0.375 inches

Second End Thread Size:

0.125 inches

Second End Thread Series Designator:

Npt

Special Features:

Wrenching flat 0.208 in.Dia.Parallel to 0.052 dia.Hole within

Material:

Steel comp 4340

Material Specification:

Mil-s-5000, cond c4 military specification single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-s-5000 spec.