

View Online at <https://aerobasegroup.com/nsn/4730-00-560-1132>

Body Style:

Body wrenching

Concentric Hole Depth:

2.715 inches

Concentric Hole Diameter:

0.234 inches

Overall Length:

3.390 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded external tube

Second End Style Designator:

Flareless

Second End Thread Class:

3a

Second End Thread Direction:

Right-hand

Width Across Flats:

Between 0.746 inches and 0.753 inches

First End Thread Length:

0.325 inches

Second End Thread Length:

0.378 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

0.499 inches

Second Diameter From Wrenching Feature:

0.433 inches

Third Diameter From Wrenching Feature:

0.499 inches

Fourth Diameter From Wrenching Feature:

0.433 inches

Fifth Diameter From Wrenching Feature:

0.499 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.354 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.666 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

1.354 inches

Length From Bearing Surface Of Wrenching Feature To End Of Fourth Diameter:

1.726 inches

Length From Bearing Surface Of Wrenching Feature To End Of Fifth Diameter:

2.094 inches

First Radial Fluid Hole Diameter:

0.189 inches

Second Radial Fluid Hole Diameter:

0.189 inches

Distance From First Radial Hole Center To End Of Bolt:

1.991 inches

Distance From Second Radial Hole Center To End Of Bolt:

0.991 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

2.531 inches

Wrenching Feature Height:

0.406 inches

First End Thread Series Designator:

Unjf

First End Thread Size:

0.438 inches

Second End Seat Angle:

12.0 degrees

Second End Thread Size:

0.500 inches

Second End Thread Series Designator:

Unjf

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0