## NSN 4730-00-585-0750

Fluid Pressure Line Multiple Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-585-0750 **Thread Class:** За **Thread Direction:** Right-hand **Overall Length:** 1.531 inches **Overall Width:** 0.813 inches Thickness: 0.875 inches **Thread Size:** 1/2 in. -20 **Thread Provision:** Threaded **Connection Style:** Flared **Bolt Hole Diameter:** 0.500 inches Seat Angle In Deg: 37.0 **Screw Thread Series Designator:** Unf Seat: Included Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 5/16 in. Od tube **Bolt Hole Flats Serrations:** Not provided **Bolt Hole Fluid Passage:** Provided Material: Aluminum alloy Material: Aluminum alloy **Surface Treatment:** Anodize Style Designator: 1 fluid connection

Surface Treatment:

Anodized, mil-a-8625, type 2, class 2

## NSN 4730-00-585-0750

Fluid Pressure Line Multiple Connector - Page 2 of 2



~n	$\Delta C$ IT	100	HINE	<b>1</b> 1 1	212
JU	CUII	166	ıtior	·	ala.

80205-nas552 professional/industrial association standard and 81343-as4875/1 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

T385-g

Mil-std (military Standard):

Mil-f-5509 spec.