

View Online at <https://aerobasegroup.com/nsn/4730-00-588-2003>

Body Style:

Shoulder

Head Diameter:

0.875 inches

Distance From Centerline To Flat:

Between 0.380 inches and 0.390 inches

Concentric Hole Depth:

1.180 inches

Concentric Hole Diameter:

0.156 inches

Overall Length:

2.348 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal tube

Second End Style Designator:

High pressure flare

Second End Thread Class:

2b

Second End Thread Direction:

Right-hand

End Application:

Used on f106 aircraft

First End Thread Length:

0.526 inches

Second End Thread Length:

0.340 inches

Wrenching Feature Style:

Dee

First Diameter From Wrenching Feature:

0.498 inches

Second Diameter From Wrenching Feature:

Between 0.346 inches and 0.356 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

1.510 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

1.590 inches

First Radial Fluid Hole Diameter:

Between 0.061 inches and 0.066 inches

Distance From First Radial Hole Center To End Of Bolt:

1.284 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

2.036 inches

Wrenching Feature Height:

0.312 inches

First End Thread Series Designator:

Unf

First End Thread Size:

0.438 inches

Second End Seat Angle:

45.0 degrees

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Unf

Special Features:

Chrome plate ext thd area

Material:

Steel comp 4140

Material Specification:

Mil-s-5626 military specification single material response

Surface Treatment:

Cadmium

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-s-5626 spec.