NSN 4730-00-605-5992

Pipe Bushing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-00-605-5992

Working Tempurature And Service Type: 100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	External Thread Size:
1/2-14 Working Pressure And Service Type: 6000.0 pounds per square inch water and 6000.0 pounds per square inch oil and 6000.0 pounds per square inch ge Working Tempurature And Service Type: 100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	1-1/4-11-1/2
Working Pressure And Service Type: 6000.0 pounds per square inch water and 6000.0 pounds per square inch oil and 6000.0 pounds per square inch ga Working Tempurature And Service Type: 100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Internal Thread Size:
6000.0 pounds per square inch water and 6000.0 pounds per square inch oil and 6000.0 pounds per square inch ge Working Tempurature And Service Type: 100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	1/2-14
Working Tempurature And Service Type: 100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Working Pressure And Service Type:
100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	6000.0 pounds per square inch water and 6000.0 pounds per square inch oil and 6000.0 pounds per square inch gas
External Screw Thread Series Designator: Npt External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Working Tempurature And Service Type:
External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	100.0 degrees fahrenheit water and 100.0 degrees fahrenheit oil and 100.0 degrees fahrenheit air
External Thread Direction: Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	External Screw Thread Series Designator:
Right-hand Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Npt
Internal Screw Thread Series Designator: Npt Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	External Thread Direction:
Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Right-hand
Internal Thread Direction: Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Internal Screw Thread Series Designator:
Right-hand Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Npt
Material: Steel Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Internal Thread Direction:
Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Right-hand
Material: Steel Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Material:
Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Steel
Style Designator: Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Material:
Outside hexagon or octagon (partial or full thread optional) Shelf Life: N/a Unit Of Measure: Demilitarization: No	Steel
Shelf Life: N/a Unit Of Measure: Demilitarization: No	Style Designator:
N/a Unit Of Measure: Demilitarization: No	Outside hexagon or octagon (partial or full thread optional)
Unit Of Measure: Demilitarization: No	Shelf Life:
Demilitarization: No	N/a
No	Unit Of Measure:
No	
	Demilitarization:
Film.	No
riig:	Fiig:
T385-k	T385-k