

View Online at <https://aerobasegroup.com/nsn/4730-00-637-0786>

Body Style:

Plain

Head Diameter:

1.125 inches

Concentric Hole Depth:

Any acceptable

Concentric Hole Diameter:

0.218 inches

Overall Length:

4.500 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal tube

Second End Style Designator:

High pressure flare

Second End Thread Class:

2a

Second End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.136 inches

First End Thread Length:

0.875 inches

Second End Thread Length:

Any acceptable

Wrenching Feature Style:

Round

Distance From Bolt End To Hole Center:

0.187 inches

First Diameter From Wrenching Feature:

Between 0.620 inches and 0.622 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

3.375 inches

First Radial Fluid Hole Diameter:

0.218 inches

Distance From First Radial Hole Center To End Of Bolt:

2.469 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

4.250 inches

Wrenching Feature Height:

0.250 inches

Hardness Rating:

Between 56.0 rockwell c and 62.0 rockwell c

First End Thready Qty Per Inch (tpi):

18

First End Thread Series Designator:

Unf

First End Thread Size:

0.625 inches

Second End Seat Angle:

12.0 degrees

Second End Thready Qty Per Inch (tpi):

28

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Unf

Special Features:

W/longitudinal flat 1.250 in.Lg, 0.018 in. Deep

Material:

Steel

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0