

View Online at <https://aerobasegroup.com/nsn/4730-00-640-6855>

**Bolt Circle Diameter:**

2.250 inches

**Flange Diameter:**

Between 3.375 inches and 3.438 inches

**Thickness:**

0.375 inches

**Socket Diameter:**

0.675 inches

**Bore Diameter:**

0.516 inches

**Pipe Size For Which Designed:**

0.375 inches

**Tube Outside Diameter For Which Designed:**

0.675 inches

**Bolt Hole Quantity:**

3

**Bolt Hole Diameter:**

0.562 inches

**Neck Height:**

0.562 inches

**Flange Section Style:**

Plain face, socket brazing neck

**Face Seating Surface Condition:**

Serrated

**Maximum Operating Pressure And Media For Which Designed:**

150.0 pounds per square inch steam and 150.0 pounds per square inch gas and 150.0 pounds per square inch oil and 150.0 pounds per square inch water

**Maximum Operating Temperature And Media For Which Designed:**

425.0 degrees fahrenheit steam and 425.0 degrees fahrenheit gas and 425.0 degrees fahrenheit oil and 425.0 degrees fahrenheit water

**Material:**

Copper alloy

**Precious Material And Weight:**

0.014 silver ounces, troy

**Style Designator:**

Round, one bolt hole circle

**Supplementary Features:**

Brazing ring is not to be inserted in groove but packaged separately and either included within the parent component

**Specification Or Standard:**

Pr type and plain, 150 lb class

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A23300

**Mil-std (military Standard):**

Mil-f-20042 spec.