NSN 4730-00-670-9695

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-670-9695

Body Style:
Plain
Concentric Hole Depth:
1.250 inches
Concentric Hole Diameter:
0.213 inches
Overall Length:
2.250 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Plain
First End Thread Class:
За
First End Thread Direction:
Right-hand
End Application:
Aircraft, sky hawk a-4
Width Across Flats:
0.438 inches
First End Thread Length:
0.281 inches
Wrenching Feature Style:
Hexagon
First Diameter From Wrenching Feature:
0.248 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
0.938 inches
First Radial Fluid Hole Diameter:
0.094 inches
Second Radial Fluid Hole Diameter:
0.070 inches
Distance From First Radial Hole Center To End Of Bolt:
0.874 inches
Distance From Second Radial Hole Center To End Of Bolt:
0.103 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:
1.812 inches
Wrenching Feature Height:
0.438 inches
Min. Tensile Strength (psi):
160000 pounds per square inch

NSN 4730-00-670-9695

Fluid Passage Bolt - Page 2 of 2



First End Thready Qty Per Inch (tpi):

28

First End Thread Series Designator:

Unf

First End Thread Size:

0.250 inches

Material:

Steel

Material Specification:

Mil-s-6758 military specification single material response

Surface Treatment:

Cadmium

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-s-6758 spec.