

View Online at <https://aerobasegroup.com/nsn/4730-00-675-9217>

Thread Class:

2b 1st end

Reducer Type:

Concentric

End Application:

Armored vehicle launch bridge (m60a1 & m48a5)

Connection Style:

Swivel nut, flare (tube) style 3 optional end 1st end

Connection Type:

Threaded internal tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

1.062 inches 1st end

Seat Angle:

37.0 degrees 1st end

Outside Diameter Tube Accommodated:

0.750 inches 1st end

Nominallength:

1.090 inches

Material:

Steel comp 12114

Material Specification:

Fed standard 66, comp 12114 federal standard single material response

Surface Treatment Specification:

J514 assn standard single treatment response and qq-p-416, type 2, cl 3 federal specification single treatment response

Thread Series Designator:

Unf all ends

Furnished Items And Quantity:

1 tube coupling nut w/sleeve

Specification Data:

81343-j514 professional/industrial association standard and 81349-mil-f-18866 government specification

Specification Or Standard:

15 figure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0

Mil-std (military Standard):

Mil-f-18866 spec.