## NSN 4730-00-679-5682

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-679-5682

Body Style:
Plain
Concentric Hole Depth:
Between 2.240 inches and 2.300 inches
Concentric Hole Diameter:
0.280 inches
Overall Length:
2.940 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Plain
First End Thread Class:
2a
First End Thread Direction:
Right-hand
Cotter Pin Hole Diameter:
0.070 inches
Width Across Flats:
Between 0.850 inches and 0.875 inches
First End Thread Length:
1.120 inches
Wrenching Feature Style:
Hexagon
Distance From Bolt End To Hole Center:
2.840 inches
First Diameter From Wrenching Feature:
Between 0.491 inches and 0.499 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
1.560 inches
First Radial Fluid Hole Diameter:
0.250 inches
Second Radial Fluid Hole Diameter:
0.250 inches
Distance From First Radial Hole Center To End Of Bolt:
2.060 inches
Distance From Second Radial Hole Center To End Of Bolt:
1.620 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:

0.260 inches

2.680 inches

Wrenching Feature Height:

## **NSN 4730-00-679-5682** Fluid Passage Bolt - Page 2 of 2



Hardness Rating:
26.0 rockwell c
First End Thready Qty Per Inch (tpi):
20
First End Thread Series Designator:
Unf
First End Thread Size:
0.500 inches
Material:
Steel
Material Specification:
Qq-s-633, c1137 through c1141 federal specification single material response
Surface Treatment:
Cadmium
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A121a0