## NSN 4730-00-684-0552

Fluid Pressure Line Multiple Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-684-0552
Thread Class:
3a
Thread Direction:
Right-hand
Overall Length:
1.272 inches
Overall Width:
2.374 inches
Thickness:
1.000 inches
Thread Size:
7/16 in20
Thread Provision:
Threaded
Connection Style:
Flared
Bolt Hole Diameter:
0.500 inches
Seat Angle In Deg:
37.0
Screw Thread Series Designator:
Unf
Seat:
Included
Fluid Connection Quantity:
2
Fluid Conveyance Type And Size For Which Designed:
1/4 in. Od tube
Bolt Hole Flats Serrations:
Not provided
Bolt Hole Fluid Passage:
Provided
Material:
Aluminum alloy, qq-a-200/3, alloy 2024, t4 or aluminum alloy, qq-a-367, comp 2014, t6
Material:
Aluminum alloy 2024 or aluminum alloy 2014
Surface Treatment:
Anodize
Style Designator:
2 fluid connections

Surface Treatment:

Anodized, mil-a-8625, type 2, class 2

## NSN 4730-00-684-0552

Fluid Pressure Line Multiple Connector - Page 2 of 2



Spec	ifica	ation	Data:
------	-------	-------	-------

96906-ms21955 government standard and 81343-as4875/1 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T385-g

Mil-std (military Standard):

Mil-f-5509 spec.