NSN 4730-00-684-5064

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-684-5064

Body Style:
Plain
Concentric Hole Depth:
2.062 inches
Concentric Hole Diameter:
0.844 inches
Overall Length:
3.125 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Inverted flare
First End Thread Class:
3a
First End Thread Direction:
Right-hand
Width Across Flats:
1.625 inches
First End Thread Length:
0.625 inches
Wrenching Feature Style:
Hexagon
First Diameter From Wrenching Feature:
1.310 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
2.125 inches
First Radial Fluid Hole Diameter:
0.625 inches
Distance From First Radial Hole Center To End Of Bolt:
1.687 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:
2.750 inches
Wrenching Feature Height:
0.375 inches
First End Thready Qty Per Inch (tpi):
12
First End Thread Series Designator:
Un
First End Seat Angle:
45.0 degrees
First End Thread Size:
1.312 inches

NSN 4730-00-684-5064

Fluid Passage Bolt - Page 2 of 2



Material:

Aluminum

Surface Treatment:

Anodize

Specification Data:

80205-nas551 professional/industrial association standard and 81343-as4875 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A121a0

Mil-std (military Standard):

Mil-f-5509 spec.