

View Online at <https://aerobasegroup.com/nsn/4730-00-689-5994>

Thread Class:

2a 1st end

Maximum Operating Temp:

256.0 degrees fahrenheit 2nd response

Connection Style:

Plain (pipe) 2nd end

Leg Length:

0.984 inches 1st end

Connection Type:

Threaded external tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.750 inches 1st end

Seat Angle:

12.0 degrees 1st end

Flow Angle:

45.0 degrees

Outside Diameter Tube Accommodated:

0.500 inches 1st end

Material:

Steel comp 12l14 sleeve or steel comp 1212 sleeve

Material Specification:

66, carbon steel, 0.20 percent maximum federal standard single material response

Media For Which Designed:

Hydraulic fluid 2nd response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-c-16232, type m, class 1 military specification single treatment response

Thread Series Designator:

Unf 1st end

Furnished Items And Quantity:

1 tube coupling nut w/sleeve

Specification Data:

96906-ms51817 government standard

Specification Or Standard:

21 figure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-c-16232 spec.