

View Online at <https://aerobasegroup.com/nsn/4730-00-700-5072>

Body Style:

Shoulder

Concentric Hole Depth:

2.438 inches

Concentric Hole Diameter:

0.375 inches

Overall Length:

5.250 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

2a

First End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.188 inches

Width Across Flats:

1.625 inches

First End Thread Length:

0.656 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.188 inches

First Diameter From Wrenching Feature:

Between 1.2488 inches and 1.250 inches

Second Diameter From Wrenching Feature:

0.875 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

4.094 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

4.219 inches

First Radial Fluid Hole Diameter:

0.250 inches

Distance From First Radial Hole Center To End Of Bolt:

2.812 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

4.875 inches

Wrenching Feature Height:

0.375 inches

Hardness Rating:

Between 85.0 rockwell superficial 15-n and 90.0 rockwell superficial 15-n

First End Thready Qty Per Inch (tpi):

14

First End Thread Series Designator:

Unf

First End Thread Size:

1.000 inches

Material:

Steel

Material Specification:

Qq-s-633, fs1010 to fs1020 or fs1117 to fs1120 federal specification single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0