## NSN 4730-00-703-7681

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-703-7681

**Body Style:** Plain **Concentric Hole Depth:** Any acceptable **Concentric Hole Diameter:** 0.375 inches **Overall Length:** 2.125 inches **First End Connection Type:** Threaded external tube First End Style Designator: Plain First End Thread Class: **First End Thread Direction:** Right-hand Second End Style Designator: Plain Width Across Flats: 0.812 inches First End Thread Length: 0.750 inches **Wrenching Feature Style:** Hexagon First Diameter From Wrenching Feature: Between 0.556 inches and 0.560 inches Length From Bearing Surface Of Wrenching Feature To End Of First Diameter: 1.062 inches First Radial Fluid Hole Diameter: 0.250 inches **Second Radial Fluid Hole Diameter:** 0.250 inches **Distance From First Radial Hole Center To End Of Bolt:** Any acceptable **Distance From Second Radial Hole Center To End Of Bolt:** Any acceptable Length From Bearing Surface Of Wrenching Feature To Bolt End: 1.812 inches

**Wrenching Feature Height:** 

0.312 inches

Min. Tensile Strength (psi):

125000 pounds per square inch

## **NSN 4730-00-703-7681** Fluid Passage Bolt - Page 2 of 2



Hardness Rating:
Between 26.0 rockwell c and 33.0 rockwell c
First End Thready Qty Per Inch (tpi):
18
First End Thread Series Designator:
Unf
First End Thread Size:
0.563 inches
Material:
Steel comp 4130
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, type 1, class 1 federal specification single treatment response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Δ121a0