

View Online at <https://aerobasegroup.com/nsn/4730-00-720-0692>

Body Style:

Plain

Concentric Hole Depth:

0.937 inches

Concentric Hole Diameter:

0.172 inches

Overall Length:

1.375 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Inverted flare

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Width Across Flats:

0.688 inches

First End Thread Length:

0.406 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

0.435 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.781 inches

First Radial Fluid Hole Diameter:

0.172 inches

Distance From First Radial Hole Center To End Of Bolt:

0.796 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.187 inches

Wrenching Feature Height:

0.188 inches

First End Thread Qty Per Inch (tpi):

20

First End Thread Series Designator:

Unf

First End Seat Angle:

45.0 degrees

First End Thread Size:

0.437 inches

Special Features:

Drilled for lockwire

Material:

Aluminum

Surface Treatment:

Anodize

Specification Data:

81343-as4875 professional/industrial association standard and 80205-nas551 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0

Mil-std (military Standard):

Mil-f-5509 spec.