

View Online at <https://aerobasegroup.com/nsn/4730-00-720-1251>

Body Style:

Body wrenching

Concentric Hole Depth:

1.937 inches

Concentric Hole Diameter:

0.203 inches

Overall Length:

2.532 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded external tube

Second End Style Designator:

Flared

Second End Thread Class:

3a

Second End Thread Direction:

Right-hand

Width Across Flats:

1.000 inches

First End Thread Length:

0.216 inches

Second End Thread Length:

0.657 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

0.363 inches

Second Diameter From Wrenching Feature:

0.499 inches

Third Diameter From Wrenching Feature:

0.363 inches

Fourth Diameter From Wrenching Feature:

0.499 inches

Fifth Diameter From Wrenching Feature:

0.363 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.052 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.354 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

0.725 inches

Length From Bearing Surface Of Wrenching Feature To End Of Fourth Diameter:

1.087 inches

Length From Bearing Surface Of Wrenching Feature To End Of Fifth Diameter:

1.222 inches

First Radial Fluid Hole Diameter:

0.189 inches

Distance From First Radial Hole Center To End Of Bolt:

0.898 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.438 inches

Wrenching Feature Height:

0.437 inches

First End Thready Qty Per Inch (tpi):

20

First End Thread Series Designator:

Unf

First End Thread Size:

0.438 inches

Second End Seat Angle:

37.0 degrees

Second End Thready Qty Per Inch (tpi):

16

Second End Thread Size:

0.750 inches

Second End Thread Series Designator:

Unf

Special Features:

Low flow

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-268, t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, cl 2 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-a-8625 spec.