

View Online at <https://aerobasegroup.com/nsn/4730-00-727-8229>

Thread Class:

2b 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit single response

Connection Style:

Swivel nut flareless (swivel nut attachment method optional)(tube) 1st end

Leg Length:

1.280 inches 1st end

Connection Type:

Threaded internal tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.562 inches 2nd end

Seat Angle:

12.0 degrees 2nd end

Flow Angle:

90.0 degrees

Seat Radius:

0.030 inches all ends

Outside Diameter Tube Accommodated:

0.375 inches 1st end

Material:

Steel comp 12114

Media For Which Designed:

Hydraulic fluid 2nd response

Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-p-16232, class 1 military specification single treatment response

Thread Series Designator:

Unf 2nd end

Furnished Items And Quantity:

1 tube coupling nut w/sleeve

Specification Data:

81349-mil-f-18866 government specification and 96906-ms51852 government standard and 81343-j514 professional/industrial association standard

Specification Or Standard:

25c figure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-p-16232 spec.