

View Online at <https://aerobasegroup.com/nsn/4730-00-729-5905>

**Body Style:**

Body wrenching

**Concentric Hole Diameter:**

0.172 inches

**Overall Length:**

2.250 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Plain

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Second End Connection Type:**

Threaded external tube

**Second End Style Designator:**

Flared

**Second End Thread Class:**

3a

**Second End Thread Direction:**

Right-hand

**Width Across Flats:**

0.812 inches

**First End Thread Length:**

0.292 inches

**Second End Thread Length:**

0.475 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.559 inches and 0.560 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.963 inches and 0.978 inches

**First Radial Fluid Hole Diameter:**

0.250 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.844 inches and 0.874 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

1.343 inches

**Wrenching Feature Height:**

0.219 inches

First End Thready Qty Per Inch (tpi):

18

First End Thread Series Designator:

Unf

First End Thread Size:

0.562 inches

Second End Seat Angle:

37.0 degrees

Second End Thready Qty Per Inch (tpi):

20

Second End Thread Size:

0.437 inches

Second End Thread Series Designator:

Unf

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-225/6, t4 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-a-8625 spec.