

View Online at <https://aerobasegroup.com/nsn/4730-00-729-6437>

Body Style:

Relieved

Concentric Hole Depth:

Between 1.000 inches and 1.125 inches

Concentric Hole Diameter:

0.156 inches

Overall Length:

1.406 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

2a

First End Thread Direction:

Right-hand

Width Across Flats:

0.688 inches

First End Thread Length:

0.562 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.526 inches and 0.529 inches

Second Diameter From Wrenching Feature:

0.437 inches

Third Diameter From Wrenching Feature:

Between 0.526 inches and 0.529 inches

Fourth Diameter From Wrenching Feature:

0.437 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.203 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.421 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

0.500 inches

Length From Bearing Surface Of Wrenching Feature To End Of Fourth Diameter:

0.594 inches

First Radial Fluid Hole Diameter:

0.156 inches

Distance From First Radial Hole Center To End Of Bolt:

0.844 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.156 inches

Wrenching Feature Height:

0.250 inches

First End Thread Qty Per Inch (tpi):

20

First End Thread Series Designator:

Unf

First End Thread Size:

0.437 inches

Material:

Steel

Material Specification:

Qq-s-633, fs1018 to fs1025 or fsb1112 or fsb1113 federal specification single material response

Surface Treatment:

Copper

Surface Treatment Specification:

Mil-c-14550, class 2 military specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-c-14550 spec.