

View Online at <https://aerobasegroup.com/nsn/4730-00-729-6437>

**Body Style:**

Relieved

**Concentric Hole Depth:**

Between 1.000 inches and 1.125 inches

**Concentric Hole Diameter:**

0.156 inches

**Overall Length:**

1.406 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Plain

**First End Thread Class:**

2a

**First End Thread Direction:**

Right-hand

**Width Across Flats:**

0.688 inches

**First End Thread Length:**

0.562 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.526 inches and 0.529 inches

**Second Diameter From Wrenching Feature:**

0.437 inches

**Third Diameter From Wrenching Feature:**

Between 0.526 inches and 0.529 inches

**Fourth Diameter From Wrenching Feature:**

0.437 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

0.203 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:**

0.421 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:**

0.500 inches

**Length From Bearing Surface Of Wrenching Feature To End Of Fourth Diameter:**

0.594 inches

**First Radial Fluid Hole Diameter:**

0.156 inches

**Distance From First Radial Hole Center To End Of Bolt:**

0.844 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

1.156 inches

**Wrenching Feature Height:**

0.250 inches

**First End Thread Qty Per Inch (tpi):**

20

**First End Thread Series Designator:**

Unf

**First End Thread Size:**

0.437 inches

**Material:**

Steel

**Material Specification:**

Qq-s-633, fs1018 to fs1025 or fsb1112 or fsb1113 federal specification single material response

**Surface Treatment:**

Copper

**Surface Treatment Specification:**

Mil-c-14550, class 2 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0

**Mil-std (military Standard):**

Mil-c-14550 spec.