NSN 4730-00-756-1148

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-756-1148

| Concentric Hole Depth: |
|--|
| 2.125 inches |
| Concentric Hole Diameter: |
| 0.187 inches |
| Overall Length: |
| 2.312 inches |
| First End Connection Type: |
| Threaded external tube |
| First End Style Designator: |
| Plain |
| First End Thread Class: |
| 2a |
| First End Thread Direction: |
| Right-hand |
| Second End Style Designator: |
| Inverted flare |
| Second End Thread Class: |
| 2b |
| Second End Thread Direction: |
| Right-hand |
| Width Across Flats: |
| 1.000 inches |
| First End Thread Length: |
| 1.375 inches |
| Second End Thread Length: |
| 0.203 inches |
| Wrenching Feature Style: |
| Hexagon |
| First Diameter From Wrenching Feature: |
| 0.750 inches |
| Length From Bearing Surface Of Wrenching Feature To End Of First Diameter: |
| 0.250 inches |
| First Radial Fluid Hole Diameter: |
| 0.187 inches |
| Distance From First Radial Hole Center To End Of Bolt: |
| 2.000 inches |
| Length From Bearing Surface Of Wrenching Feature To Bolt End: |
| 0.687 inches |
| Wrenching Feature Height: |
| 0.750 inches |
| First End Thready Qty Per Inch (tpi): |

NSN 4730-00-756-1148 Fluid Passage Bolt - Page 2 of 2



| First End Thread Series Designator: |
|---|
| Unf |
| First End Thread Size: |
| 0.750 inches |
| Second End Seat Angle: |
| 45.0 degrees |
| Second End Thready Qty Per Inch (tpi): |
| 24 |
| Second End Thread Size: |
| 0.438 inches |
| Second End Thread Series Designator: |
| Uns |
| Material: |
| Copper |
| Material Specification: |
| Qq-b-626 federal specification single material response |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Qq-p-416, type 2, class 2 federal specification single treatment response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A121a0 |
| |