

View Online at <https://aerobasegroup.com/nsn/4730-00-763-8944>

**Body Style:**

Plain

**Concentric Hole Depth:**

Between 0.907 inches and 0.967 inches

**Concentric Hole Diameter:**

Between 0.162 inches and 0.182 inches

**Overall Length:**

Between 1.365 inches and 1.385 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Flared

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Width Across Flats:**

Between 0.672 inches and 0.704 inches

**First End Thread Length:**

0.331 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.434 inches and 0.435 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.776 inches and 0.786 inches

**First Radial Fluid Hole Diameter:**

Between 0.162 inches and 0.182 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.781 inches and 0.811 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 1.177 inches and 1.197 inches

**Wrenching Feature Height:**

Between 0.178 inches and 0.198 inches

**First End Thread Qty Per Inch (tpi):**

20

**First End Thread Series Designator:**

Unf

**First End Seat Angle:**

45.0 degrees

**First End Thread Size:**

0.437 inches

**Material:**

Steel

**Material Specification:**

Qq-s-763, class 302, 303, 304, 316, or 321, cond a federal specification single material response

**Surface Treatment:**

Passivate

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0