NSN 4730-00-767-2209



Quick Disconnect Coupling Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4730-00-767-2209 **Thread Class:** 3a first fluid end connection **Overall Length:** 5.976 inches Second Leg Length: 0.958 inches **Quick Disconnect Method:** Spring push-lock all ends **Quick Disconnect Size:** 2.094 inches all ends **Maximum Operating Temp:** 67.2 degrees fahrenheit single response **Connection Style:** Flared first fluid end connection Leg Length: 0.958 inches **Connection Type:** Threaded external tube first fluid end connection **Features Provided:** Self-sealing Thready Qty Per Inch (tpi): 12 first fluid end connection **Second End Relationship With First End:**

Identical

Maximum Operating Pressure And Media For Which Designed:

600.0 pounds per square inch air

Maximum Operating Pressure:

600.0 pounds per square inch single response

Thread Size:

1.625 inches first fluid end connection

Seat Angle:

37.0 degrees

Maximum Operating Tempurature And Media For Which Designed:

Err-070

Outside Diameter Tube Accommodated:

1.250 inches first fluid end connection

Material:

Aluminum alloy

Surface Treatment:

Anodize

Style Designator:

Coupling assembly

NSN 4730-00-767-2209

Quick Disconnect Coupling Assembly - Page 2 of 2



Ī	hread	Series	Desig	nator:

Un first fluid end connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A531s0