

View Online at <https://aerobasegroup.com/nsn/4730-00-776-9842>

Concentric Hole Depth:

1.250 inches

Concentric Hole Diameter:

0.216 inches

Overall Length:

2.520 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal boss

Second End Style Designator:

Gasket seal

Second End Thread Class:

2b

Second End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.125 inches

Width Across Flats:

0.875 inches

First End Thread Length:

0.750 inches

Second End Thread Length:

0.500 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.218 inches

First Diameter From Wrenching Feature:

0.562 inches

Second Diameter From Wrenching Feature:

0.476 inches

Third Diameter From Wrenching Feature:

0.562 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.510 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.630 inches

Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:

1.250 inches

First Radial Fluid Hole Diameter:

0.094 inches

Distance From First Radial Hole Center To End Of Bolt:

1.390 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.960 inches

Wrenching Feature Height:

0.500 inches

First End Thread Series Designator:

Unf

First End Thread Size:

0.562 inches

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Unf

Material:

Steel comp 4140

Material Specification:

Mil-s-5626 cond military standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class 3 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

Mil-std (military Standard):

Mil-s-5626 spec.