NSN 4730-00-800-1962

Tube Reducer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-800-1962

Thread Class:

2a 2nd end

Reducer Type:

Concentric

Maximum Operating Temp:

250.0 degrees fahrenheit 1st response

Connection Style:

Flareless (tube) all ends

Connection Type:

Threaded external tube all ends

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.562 inches 1st end

Seat Angle:

12.0 degrees all ends

Outside Diameter Tube Accommodated:

0.375 inches 1st end

Nominallength:

1.219 inches

Material:

Steel comp 304 or steel comp 316

Material Specification:

66, aisi 304/sae 30304 federal standard 1st material response or 66, aisi/sae 300 series federal standard 2nd material response

Media For Which Designed:

Hydraulic fluid 1st response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 2 federal specification 1st treatment response or astm a380 assn standard 2nd treatment response

Thread Series Designator:

Unf all ends

Specification Data:

96906-ms51895 government standard

Specification Or Standard:

20 figure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 4730-00-800-1962

Tube Reducer - Page 2 of 2

Fiig: A080b0

Mil-std (military Standard):

Mil-f-18866 spec.

