NSN 4730-00-801-3465

Tube Nipple - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-00-801-3465

| Thread Class: |
|---|
| 2a all ends |
| Maximum Operating Temp: |
| 121.0 degrees celsius single response |
| Connection Style: |
| Flareless (tube) all ends |
| Leg Length: |
| 0.688 inches all ends |
| Connection Type: |
| Threaded external tube all ends |
| Thready Qty Per Inch (tpi): |
| 12 all ends |
| Maximum Operating Pressure: |
| 3000.0 pounds per square inch single response |
| Thread Size: |
| 1.312 inches all ends |
| Seat Angle: |
| 12.0 degrees all ends |
| Outside Diameter Tube Accommodated: |
| 1.000 inches all ends |
| Nominallength: |
| 1.750 inches |
| Material: |
| Steel |
| Surface Treatment: |
| Phosphate |
| Style Designator: |
| Flareless w/ center wrenching facility |
| Thread Series Designator: |
| Un all ends |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A080b0 |
| Mil-std (military Standard): |
| Mil-f-18866 spec. |