NSN 4730-00-807-2274

Tube Elbow - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-807-2274

Thread Class:
3a all ends
Maximum Operating Temp:
275.0 degrees fahrenheit single response
Connection Style:
Flareless (tube) all ends
Leg Length:
0.938 inches 2nd end
Connection Type:
Threaded external tube all ends
Maximum Operating Pressure:
3000.0 pounds per square inch single response
Thread Size:
0.438 inches all ends
Seat Angle:
12.0 degrees all ends
Flow Angle:
90.0 degrees
Outside Diameter Tube Accommodated:
0.250 inches 2nd end
Material:
Steel comp 304
Steel comp 304
Steel comp 304 Material Specification:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead Specification Data:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead Specification Data: 96906-ms21908 government standard
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead Specification Data: 96906-ms21908 government standard Shelf Life:
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead Specification Data: 96906-ms21908 government standard Shelf Life: N/a
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead Specification Data: 96906-ms21908 government standard Shelf Life: N/a
Steel comp 304 Material Specification: Qq-s-763 federal specification single material response Media For Which Designed: Hydraulic fluid single response Surface Treatment: Passivate Surface Treatment Specification: Mil-s-5002 military specification single treatment response Thread Series Designator: Unjf 1st end bulkhead Specification Data: 96906-ms21908 government standard Shelf Life: N/a Unit Of Measure:

A080b0

NSN 4730-00-807-2274

Tube Elbow - Page 2 of 2



Mil-std (military Standard):

Mil-s-5002 spec.