NSN 4730-00-816-8321

Pipe Coupling - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-00-816-8321

| Pipe Size Accommodated: |
|---|
| 1.000 inches all ends |
| Maximum Operating Temp: |
| 225.0 degrees fahrenheit single response |
| Connection Style: |
| Plain (pipe) all ends |
| Connection Type: |
| Threaded internal pipe all ends |
| Maximum Operating Pressure: |
| 6000.0 pounds per square inch single response |
| Thread Size: |
| 1.000 inches all ends |
| Nominallength: |
| 1.938 inches |
| Material: |
| Steel comp 316 or steel comp 304 |
| Material Specification: |
| 66, aisi 316/sae 30316 federal standard 1st material response or 66, aisi 304/sae 30304 federal standard 2nd material response |
| Media For Which Designed: |
| Oxygen, gaseous 3rd response |
| Surface Treatment: |
| Passivate |
| Surface Treatment Specification: |
| Mil-s-5002 military specification 1st treatment response inside and qq-p-35, type 1 federal specification 2nd treatment response inside |
| Style Designator: |
| Rigid, short center wrenching facility |
| Thread Series Designator: |
| Npt all ends |
| Specification Data: |
| 88044-an910 government standard and 81343-as4842 professional/industrial association standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A080b0 |
| Mil-std (military Standard): |
| Mil-s-5002 spec. |