

View Online at <https://aerobasegroup.com/nsn/4730-00-833-4179>

**Body Style:**

Plain

**Concentric Hole Diameter:**

0.219 inches

**Overall Length:**

1.940 inches

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Second End Thread Class:**

3b

**Second End Thread Direction:**

Right-hand

**Cotter Pin Hole Diameter:**

0.110 inches

**Width Across Flats:**

0.685 inches

**First End Thread Length:**

0.348 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

0.506 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

1.332 inches

**First Radial Fluid Hole Diameter:**

0.064 inches

**Distance From First Radial Hole Center To End Of Bolt:**

1.056 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

1.680 inches

**Hardness Rating:**

27.0 rockwell c

**First End Thread Qty Per Inch (tpi):**

24

**First End Thread Series Designator:**

Unf

**First End Thread Size:**

0.375 inches

**Second End Thread Qty Per Inch (tpi):**

28

**Second End Thread Size:**

0.250 inches

**Second End Thread Series Designator:**

Unf

**Material:**

Steel

**Material Specification:**

Mil-s-5000, cond c military specification single material response

**Surface Treatment:**

Copper

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A121a0

**Mil-std (military Standard):**

Mil-s-5000 spec.