NSN 4730-00-900-0515

Pipe Outlet - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-00-900-0515

1.500 inches 1st end Mounting End Type: Flat Maximum Operating Temp: 218.0 degrees celsius single response Connection Style: Socket brazing ring (pipe) 1st end
Maximum Operating Temp: 218.0 degrees celsius single response Connection Style: Socket brazing ring (pipe) 1st end
Maximum Operating Temp: 218.0 degrees celsius single response Connection Style: Socket brazing ring (pipe) 1st end
218.0 degrees celsius single response Connection Style: Socket brazing ring (pipe) 1st end
Connection Style: Socket brazing ring (pipe) 1st end
Socket brazing ring (pipe) 1st end
O # T
Connection Type:
Unthreaded internal pipe 1st end
Maximum Operating Pressure:
3300.0 pounds per square inch single response
Criticality Code Justification:
Zzzy
Pipe Wall Thickness Designation For Which Designed:
Schedule 40s 1st end
Material:
Copper alloy
Material Specification:
Qq-n-281, class a federal specification single material response or mil-c-15726, comp 7030, temper soft military specification military
specification single material response
Media For Which Designed:
Water-oil-gas single response
Reference Number Differentiating Characteristics:
Quality control iaw navships0948-045-7010 material identification and control instruction for level 1 items
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A080b0
Mil-std (military Standard):
Mil-c-15726 spec.