## NSN 4730-00-904-5172

Flange To Pipe Straight Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-904-5172

6.000 inches 1st end Bolt Hole Quantity: 12 2nd end Connection Style: Grooved (pipe) 1st end Flange Shape: Round with holes 2nd end Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a Unit Of Measure:	Pipe Size Accommodated:
Bolt Hole Quantity: 12 2nd end Connection Style: Grooved (pipe) 1st end Flange Shape: Round with holes 2nd end Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	•
12 2nd end Connection Style: Grooved (pipe) 1st end Flange Shape: Round with holes 2nd end Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Connection Style: Grooved (pipe) 1st end Flange Shape: Round with holes 2nd end Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	•
Grooved (pipe) 1st end Flange Shape: Round with holes 2nd end Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Flange Shape: Round with holes 2nd end Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	•
Round with holes 2nd end  Connection Type: Unthreaded external pipe 1st end  Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Connection Type: Unthreaded external pipe 1st end Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Unthreaded external pipe 1st end  Maximum Operating Pressure: 720.0 pounds per square inch single response  Outside Diameter: 12.500 inches 2nd end  Thickness: 1.437 inches 2nd end  Bolt Hole Diameter: 0.875 inches 2nd end  Bolt Circle Diameter: 10.625 inches 2nd end  Flange Face Design: Raised straight 2nd end  Raised Face Height: 0.062 inches 2nd end  Raised Face Diameter: 8.500 inches 2nd end  Nominallength: 6.500 inches  Special Features: With 300 lb class flange  Material: Steel  Media For Which Designed: Water-oil-gas single response  Surface Treatment: Enamel  Specification Or Standard: 6 size  Shelf Life: N/a	
Maximum Operating Pressure: 720.0 pounds per square inch single response Outside Diameter: 12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Outside Diameter:  12.500 inches 2nd end Thickness:  1.437 inches 2nd end Bolt Hole Diameter:  0.875 inches 2nd end Bolt Circle Diameter:  10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter:  8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	• •
Outside Diameter:  12.500 inches 2nd end Thickness:  1.437 inches 2nd end Bolt Hole Diameter:  0.875 inches 2nd end Bolt Circle Diameter:  10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height:  0.062 inches 2nd end Raised Face Diameter:  8.500 inches 2nd end Nominallength:  6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	· -
12.500 inches 2nd end Thickness: 1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Thickness:  1.437 inches 2nd end  Bolt Hole Diameter:  0.875 inches 2nd end  Bolt Circle Diameter:  10.625 inches 2nd end  Flange Face Design: Raised straight 2nd end  Raised Face Height:  0.062 inches 2nd end  Raised Face Diameter:  8.500 inches 2nd end  Nominallength:  6.500 inches  Special Features: With 300 lb class flange  Material: Steel  Media For Which Designed: Water-oil-gas single response  Surface Treatment: Enamel  Specification Or Standard:  6 size  Shelf Life: N/a	
1.437 inches 2nd end Bolt Hole Diameter: 0.875 inches 2nd end Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Bolt Hole Diameter:  0.875 inches 2nd end  Bolt Circle Diameter:  10.625 inches 2nd end  Flange Face Design:  Raised straight 2nd end  Raised Face Height:  0.062 inches 2nd end  Raised Face Diameter:  8.500 inches 2nd end  Nominallength:  6.500 inches  Special Features:  With 300 lb class flange  Material:  Steel  Media For Which Designed:  Water-oil-gas single response  Surface Treatment:  Enamel  Specification Or Standard:  6 size  Shelf Life:  N/a	
0.875 inches 2nd end  Bolt Circle Diameter: 10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Bolt Circle Diameter:  10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Bolt Hole Diameter:
10.625 inches 2nd end Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	
Flange Face Design: Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Bolt Circle Diameter:
Raised straight 2nd end Raised Face Height: 0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	10.625 inches 2nd end
Raised Face Height:  0.062 inches 2nd end  Raised Face Diameter:  8.500 inches 2nd end  Nominallength:  6.500 inches  Special Features:  With 300 lb class flange  Material:  Steel  Media For Which Designed:  Water-oil-gas single response  Surface Treatment:  Enamel  Specification Or Standard:  6 size  Shelf Life:  N/a	Flange Face Design:
0.062 inches 2nd end Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Raised straight 2nd end
Raised Face Diameter: 8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Raised Face Height:
8.500 inches 2nd end Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	0.062 inches 2nd end
Nominallength: 6.500 inches Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Raised Face Diameter:
6.500 inches  Special Features: With 300 lb class flange  Material: Steel  Media For Which Designed: Water-oil-gas single response  Surface Treatment: Enamel  Specification Or Standard: 6 size  Shelf Life: N/a	8.500 inches 2nd end
Special Features: With 300 lb class flange Material: Steel Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Nominallength:
With 300 lb class flange  Material: Steel  Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	6.500 inches
Material: Steel  Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Special Features:
Steel  Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	With 300 lb class flange
Media For Which Designed: Water-oil-gas single response Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Material:
Water-oil-gas single response  Surface Treatment:  Enamel  Specification Or Standard: 6 size  Shelf Life: N/a	Steel
Surface Treatment: Enamel Specification Or Standard: 6 size Shelf Life: N/a	Media For Which Designed:
Enamel  Specification Or Standard: 6 size  Shelf Life: N/a	Water-oil-gas single response
Specification Or Standard: 6 size Shelf Life: N/a	Surface Treatment:
6 size Shelf Life: N/a	Enamel
Shelf Life: N/a	Specification Or Standard:
N/a	6 size
	Shelf Life:
Unit Of Measure:	N/a
	Unit Of Measure:

--

## NSN 4730-00-904-5172

Flange To Pipe Straight Adapter - Page 2 of 2



_		 • •				
п	em	it o	riz	<b>2</b> †1	n	٠.

No

Fiig:

A080b0