NSN 4730-00-906-2674

Quick Disconnect Coupling Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-906-2674 **Thread Class:** 3a first fluid end connection **Overall Length:** 3.632 inches **Quick Disconnect Method:** Quick lead thread all ends **Maximum Operating Temp:** 71.0 degrees celsius single response **Connection Style:** Flared first fluid end connection **Connection Type:** Threaded external tube first fluid end connection **Features Provided:** Self-sealing Second End Relationship With First End: Identical **Maximum Operating Pressure And Media For Which Designed:** 1000.0 pounds per square inch fuel/oil, hydrocarbon **Maximum Operating Pressure:** 1000.0 pounds per square inch single response **Thread Size:** 0.750 inches first fluid end connection Seat Angle: 37.0 degrees Maximum Operating Tempurature And Media For Which Designed: 71.0 degrees celsius fuel/oil, hydrocarbon **Outside Diameter Tube Accommodated:** 0.500 inches first fluid end connection Material: Aluminum alloy **Surface Treatment:** Anodize **Style Designator:** Coupling assembly **Thread Series Designator:** Unf first fluid end connection Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 4730-00-906-2674

Quick Disconnect Coupling Assembly - Page 2 of 2



Fiig:

A531s0