

View Online at https://aerobasegroup.com/nsn/4730-00-908-7067

Thread Class:3a3aThread Direction:Right-handOverall Length:1.626 inchesOverall Width:0.813 inchesThickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:1fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedProvided
Thread Direction:Right-handOverall Length:1.626 inchesOverall Width:0.813 inchesThickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:1fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
Right-handQverall Length:1.626 inchesOverall Width:0.813 inchesThickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSceat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:11Fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
Overall Length:1.626 inchesOverall Width:0.813 inchesThickness:0.781 inchesThickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:11Fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBott Hole Flats Serrations:Not providedBott Hole Fluid Passage:
1.626 inchesOverall Width:0.813 inchesThickness:0.781 inchesThickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:11Fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
Overall Width:0.813 inchesThickness:0.781 inchesThickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:1fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
0.813 inches Thickness: O.781 inches Thread Size: 7/16 in20 Thread Provision: Threaded Connection Style: Flared Bolt Hole Diameter: O.437 inches Seat Angle In Deg: 37.0 Serew Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: I/4 in. Od tube Bolt Hole Flats Serrations: Not provided Not provided Not provided
Thickness:0.781 inchesThread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:1Fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
0.781 inches Thread Size: 7/16 in20 Thread Provision: Threaded Connection Style: Flared Bolt Hole Diameter: 0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Thread Size:7/16 in20Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:1Fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
7/16 in20 7/16 in20 Thread Provision: Threaded Connection Style: Flared Bolt Hole Diameter: 0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Thread Provision:ThreadedConnection Style:FlaredBolt Hole Diameter:0.437 inchesSeat Angle In Deg:37.0Screw Thread Series Designator:UnfSeat:IncludedDeg Between Outlets:75.0Fluid Connection Quantity:1Fluid Conveyance Type And Size For Which Designed:1/4 in. Od tubeBolt Hole Flats Serrations:Not providedBolt Hole Fluid Passage:
Threaded Connection Style: Flared Bolt Hole Diameter: 0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Connection Style: Flared Bolt Hole Diameter: 0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Flared Bolt Hole Diameter: 0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Bolt Hole Diameter: 0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
0.437 inches Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Connection Quantity: 1 Solt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Seat Angle In Deg: 37.0 Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
<ul> <li>37.0</li> <li>Screw Thread Series Designator:</li> <li>Unf</li> <li>Seat:</li> <li>Included</li> <li>Deg Between Outlets:</li> <li>75.0</li> <li>Fluid Connection Quantity:</li> <li>1</li> <li>Fluid Conveyance Type And Size For Which Designed:</li> <li>1/4 in. Od tube</li> <li>Bolt Hole Flats Serrations:</li> <li>Not provided</li> <li>Bolt Hole Fluid Passage:</li> </ul>
Screw Thread Series Designator: Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Unf Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Seat: Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Included Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Deg Between Outlets: 75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
75.0 Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Fluid Connection Quantity: 1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
1 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
1/4 in. Od tube Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Bolt Hole Flats Serrations: Not provided Bolt Hole Fluid Passage:
Not provided Bolt Hole Fluid Passage:
Bolt Hole Fluid Passage:
-
Drovidod
Piovided
Special Features:
Different sealing concept than an777; e/i f4 aircraft
Material:
Steel
Material:
Steel
Steel Surface Treatment:



## Style Designator:

1 fluid connection

## Surface Treatment:

Cadmium

## Specification Data:

81343-as4875/1 professional/industrial association standard and 80205-nas553 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

T385-g

Mil-std (military Standard):

Mil-f-5509 spec.