

View Online at https://aerobasegroup.com/nsn/4730-00-917-7685

Thread Class:

3a first fluid end connection

Overall Length:

3.578 inches

Second End Style Designator (non-core):

Err-090

Second End Outside Diameter Tube Accommodated:

0.250 inches

Second End Thread Class:

3a

Exterior Color:

Green

Second Leg Length:

0.969 inches

Quick Disconnect Method:

Push-pull all ends

Second Fluid End Connection Type:

Threaded external tube

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Flareless first fluid end connection

Leg Length:

0.453 inches

Connection Type:

Threaded external tube first fluid end connection

Features Provided:

Self-sealing

Second End Relationship With First End:

Not identical

Maximum Operating Pressure And Media For Which Designed:

3000.0 pounds per square inch fuel/oil, hydrocarbon

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.438 inches first fluid end connection

Seat Angle:

12.0 degrees

Second End Seat Angle:

12.0 degrees

Second End Thread Size:

0.438 inches

Quick Disconnect Coupling Assembly - Page 2 of 2



Second End Thread Series Designator: Unjf Maximum Operating Tempurature And Media For Which Designed: 275.0 degrees fahrenheit fuel/oil, hydrocarbon **Outside Diameter Tube Accommodated:** 0.250 inches first fluid end connection Material: Aluminum Surface Treatment: Anodize **Surface Treatment Specification:** Mil-a-8625 military specification single treatment response Style Designator: Coupling assembly **Thread Series Designator:** Unjf first fluid end connection Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A531s0

Mil-std (military Standard):

Mil-a-8625 spec.
