

View Online at <https://aerobasegroup.com/nsn/4730-00-923-0301>

**Thread Class:**

3a first fluid end connection

**Overall Length:**

5.715 inches

**Second End Style Designator (non-core):**

Err-090

**Second End Thread Class:**

3b

**Quick Disconnect Method:**

Spring push-lock all ends

**Second Fluid End Connection Type:**

Threaded internal boss

**Maximum Operating Temp:**

135.0 degrees celsius single response

**Connection Style:**

Flareless first fluid end connection

**Connection Type:**

Threaded external tube first fluid end connection

**Features Provided:**

Self-sealing

**Thready Qty Per Inch (tpi):**

12 first fluid end connection

**Second End Relationship With First End:**

Not identical

**Maximum Operating Pressure And Media For Which Designed:**

3000.0 pounds per square inch any acceptable

**Maximum Operating Pressure:**

3000.0 pounds per square inch single response

**Thread Size:**

1.312 inches first fluid end connection

**Seat Angle:**

12.0 degrees

**Second End Thready Qty Per Inch (tpi):**

12

**Second End Thread Size:**

1.312 inches

**Second End Thread Series Designator:**

Un

**Maximum Operating Temperature And Media For Which Designed:**

135.0 degrees celsius any acceptable

**Outside Diameter Tube Accommodated:**

1.000 inches first fluid end connection

**Material:**

Aluminum alloy

**Surface Treatment:**

Anodize

**Style Designator:**

Coupling assembly

**Thread Series Designator:**

Un first fluid end connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A531s0