

View Online at <https://aerobasegroup.com/nsn/4730-00-963-5333>

Body Style:

Stepped

Concentric Hole Depth:

0.620 inches

Concentric Hole Diameter:

0.080 inches

Overall Length:

1.625 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.062 inches

Width Across Flats:

Between 0.367 inches and 0.376 inches

First End Thread Length:

0.587 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.070 inches

First Diameter From Wrenching Feature:

Between 0.186 inches and 0.189 inches

Second Diameter From Wrenching Feature:

0.150 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.170 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

Between 0.878 inches and 0.938 inches

First Radial Fluid Hole Diameter:

Between 0.049 inches and 0.051 inches

Distance From First Radial Hole Center To End Of Bolt:

1.125 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.500 inches

Wrenching Feature Height:

0.125 inches

Hardness Rating:

Between 26.0 rockwell c and 34.0 rockwell c

First End Thread Series Designator:

Unf

First End Thread Size:

0.190 inches

Material:

Stainless steel

Material Specification:

Ams-5637 assn standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0